ELSEVIER

Brain Research 729 (1996) 299–300

BRAIN RESEARCH

Author Index

Acosta, S., see Strahlendorf, J.C. (729) 197
Aijón, J., see Porteros, A. (729) 82
Alonso, J.R., see Porteros, A. (729) 82
Andersen, B.J., see Pravdenkova, S.V. (729) 151
Angelucci, L., see Cabib, S. (729) 110
Arai, I., Shimazoe, T., Shibata, S., Inoue, H., Yoshimatsu, A. and Watanabe, S.
Enhancement of dopamine release from the striatum through metabotropic glutamate receptor activation in methamphetamine sensitized rats (729) 277
Asanuma, M., see Tanaka, K.-i. (729) 55

Bader, M., see Wilson, W. (729) 1
Barnes, N.M., see Fletcher, S. (729) 281
Basnakian, A.G., see Pravdenkova, S.V. (729) 151
Berry, C.L., see Skinner, R.D. (729) 127
Bianchi, M., Sacerdote, P. and Panerai, A.E.
Peripherally administered GM-CSF interferes with scopolamine-induced amnesia in mice: involvement of interleukin-1 (729) 285
Blight, A.R., see Gruner, J.A. (729) 90
Bloom, S.R., see Choi, S.J. (729) 223
Bridy, D.J., see Kriebel, M.E. (729) 228
Briñón, J.G., see Porteros, A. (729) 82
Burger, R.L., see Chen, S.-Y. (729) 294

Cabib, S., Castellano, C., Patacchioli, F.R., Cigliana, G., Angelucci, L. and Puglisi-Allegra, S.
Opposite strain-dependent effects of post-training corticosterone in a passive avoidance task in mice: role of dopamine (729) 110
Castellano, C., see Cabib, S. (729) 110
Caulliez, R., Meile, M.-J. and Nicolaidis, S.
A lateral hypothalamic D1 dopaminergic mechanism in conditioned taste aversion (729) 234
Chapman, M.A. and See, R.E.
The neurotensin receptor antagonist SR 48692 decreases extracellular striatal GABA in rats (729) 124
Chen, S.-Y., Burger, R.L. and Reith, M.E.A.
Extracellular dopamine in the rat ventral tegmental area and nucleus accumbens following ventral tegmental infusion of cocaine (729) 294
Choi, D.W., see Snider, B.J. (729) 273
Choi, S.J., Meeran, K., O'Shea, D., Lambert, P.D. and Bloom, S.R.
Weight loss in rats treated with intracerebroventricular cobalt protoporphyrin is not specific to the neuropeptide Y system (729) 223
Cigliana, G., see Cabib, S. (729) 110
Colpaert, F., see Cosi, C. (729) 264
Cosi, C., Colpaert, F., Koek, W., Degryse, A. and Marien, M.
Poly(ADP-ribose) polymerase inhibitors protect against MPTP-induced depletions of striatal dopamine and cortical noradrenaline in C57Bl/6 mice (729) 264
Crespo, C., see Porteros, A. (729) 82

Degryse, A., see Cosi, C. (729) 264
Delivoria-Papadopoulos, M., see Fritz, K.I. (729) 66
Drucker-Colín, R., Durán-Vázquez, A., Salín-Pascual, R.J., Verdugo-Díaz, L., Mendoza-Ramírez, J.L. and Jiménez-Anguiano, A.
Rapid eye movement (REM) sleep deprivation in 6-OHDA nigro-striatal lesioned rats with and without transplants of dissociated chromaffin cells (729) 170
Durán-Vázquez, A., see Drucker-Colín, R. (729) 170

Farid Ahmed, A.K.M., Guison, N.G. and Yamadori, T.
A retrograde fluorescent-labeling study of direct relationship between the limbic (anterodorsal and anteroventral thalamic nuclei) and the visual system in the albino rat (729) 119
Fink, H., see Wilson, W. (729) 1
Fisher, R.S., see Smith, K.A. (729) 147
Fletcher, S. and Barnes, N.M.
Distribution and characterisation of the [^{3}H](S)-zacopride labelled 5-HT$_3$ receptor in pig forebrain (729) 281
Fritz, K.I., Groenendaal, F., McGowan, J.E., Mishra, O.P. and Delivoria-Papadopoulos, M.
Effect of cerebral hypoxia on NMDA receptor binding characteristics after treatment with 3-(2-carboxypiperazin-4-yl)propyl-1-phosphonic acid (CPP) in newborn piglets (729) 66

Gancher, S., Mayer, A. and Youngman, S.
Changes in apomorphine pharmacodynamics following repeated treatment in 6-hydroxydopamine-lesioned rats (729) 190
Garcia-Rill, E., see Skinner, R.D. (729) 127
Groenendaal, F., see Fritz, K.I. (729) 66
Gruner, J.A., Yee, A.K. and Blight, A.R.
Histological and functional evaluation of experimental spinal cord injury: evidence of a stepwise response to graded compression (729) 90
Guison, N.G., see Farid Ahmed, A.K.M. (729) 119

Hatase, O., see Lu, Y.-F. (729) 142
Hayashi, Y., see Lu, Y.-F. (729) 142
Heaton, M.B., see Webb, B. (729) 176
Hidaka, H., see Porteros, A. (729) 82
Hildebrand, C., see Tuisku, F. (729) 137
Hitz, S., see Légrádi, G. (729) 10
Hong, J.-S., see Kong, L.-Y. (729) 102
Houle, J.D., see Skinner, R.D. (729) 127
Hu, Z., see Visser, D.T.M. (729) 216

Inoue, H., see Arai, I. (729) 277
Itano, T., see Lu, Y.-F. (729) 142

Jackson, I.M.D., see Légrádi, G. (729) 10
James, S.J., see Pravdenkova, S.V. (729) 151
Jiménez-Anguiano, A., see Drucker-Colín, R. (729) 170
Jones, E.G., see Liang, F. (729) 246

Kalus, P. and Senitz, D.
Parvalbumin in the human anterior cingulate cortex: morphological heterogeneity of inhibitory interneurons (729) 45
Kawata, M., see Visser, D.T.M. (729) 216
Koek, W., see Cosi, C. (729) 264
Kondo, Y., see Tanaka, K.-i. (729) 55
Kong, L.-Y., McMillian, M.K., Maronpot, R. and Hong, J.-S.
Protein tyrosine kinase inhibitors suppress the production of nitric oxide in mixed glia, microglia-enriched or astrocyte-enriched cultures (729) 102
Koolhaas, J.M., see Krugers, H.J. (729) 289
Korf, J., see Krugers, H.J. (729) 289
Kriebel, M.E. and Bridy, D.J.
Dynamics of ethanol-induced transmitter packet release in the frog neuromuscular junction (729) 228
Krugers, H.J., Koolhaas, J.M., Medema, R.M. and Korf, J.

Prolonged subordination stress increases Calbindin-D28k immunoreactivity in the rat hippocampal CA1 area (729) 289
Kurisu, K., see Wakisaka, S. (729) 259

Lambert, P.D., see Choi, S.J. (729) 223
Lechan, R.M., see Légrádi, G. (729) 10
Légrádi, G., Rand, W.M., Hitz, S., Nillni, E.A., Jackson, I.M.D. and Lechan, R.M.
Opiate withdrawal increases ProTRH gene expression in the ventrolateral column of the midbrain periaqueductal gray (729) 10
Liang, F. and Jones, E.G.
Developmental and stimulus-specific expression of the immediate–early gene *zif268* in rat spinal cord (729) 246
Lu, Y.-F., Tomizawa, K., Moriwaki, A., Hayashi, Y., Tokuda, M., Itano, T., Hatase, O. and Matsui, H.
Calcineurin inhibitors, FK506 and cyclosporin A, suppress the NMDA receptor-mediated potentials and LTP, but not depotentiation in the rat hippocampus (729) 142

Maeda, N., see Matsuoka, N. (729) 132
Maeda, T., see Wakisaka, S. (729) 259
Marien, M., see Cosi, C. (729) 264
Maronpot, R., see Kong, L.-Y. (729) 102
Marsden, C.A., see Wilson, W. (729) 1
Martin, L.P. and Waszczak, B.L.
Dopamine D_2 receptor-mediated modulation of the GABAergic inhibition of substantia nigra pars reticulata neurons (729) 156
Matsui, H., see Lu, Y.-F. (729) 142
Matsuoka, N., Maeda, N., Yamazaki, M. and Yamaguchi, I.
Brain somatostatin depletion by cysteamine attenuates the penile erection induced by serotonergic and dopaminergic, but not by cholinergic, activation in rats (729) 132
Mayer, A., see Gancher, S. (729) 190
McGowan, J.E., see Fritz, K.I. (729) 66
McMillian, M.K., see Kong, L.-Y. (729) 102
Medema, R.M., see Krugers, H.J. (729) 289
Meeran, K., see Choi, S.J. (729) 223
Meile, M.-J., see Caulliez, R. (729) 234
Mendoza-Ramírez, J.L., see Drucker-Colín, R. (729) 170
Mishra, O.P., see Fritz, K.I. (729) 66
Moore, J.F., see Zachor, D.A. (729) 270
Morimoto, M., see Visser, D.T.M. (729) 216
Moriwaki, A., see Lu, Y.-F. (729) 142

Nicolaidis, S., see Caulliez, R. (729) 234
Nillni, E.A., see Légrádi, G. (729) 10
Nomura, M., see Tanaka, K.-i. (729) 55
Nyby, J.G., see Sipos, M.L. (729) 29

Ogawa, N., see Tanaka, K.-i. (729) 55
Okazaki, K., see Porteros, A. (729) 82
O'Shea, D., see Choi, S.J. (729) 223

Panerai, A.E., see Bianchi, M. (729) 285
Pasterkamp, R.J., see Visser, D.T.M. (729) 216
Patacchioli, F.R., see Cabib, S. (729) 110
Percy, A.K., see Zachor, D.A. (729) 270
Porteros, A., Briñón, J.G., Crespo, C., Okazaki, K., Hidaka, H., Aijón, J. and Alonso, J.R.
Neurocalcin immunoreactivity in the rat accessory olfactory bulb (729) 82
Pravdenkova, S.V., Basnakian, A.G., James, S.J. and Andersen, B.J.
DNA fragmentation and nuclear endonuclease activity in rat brain after severe closed head injury (729) 151
Puglisi-Allegra, S., see Cabib, S. (729) 110

Rand, W.M., see Légrádi, G. (729) 10
Reese, N.B., see Skinner, R.D. (729) 127
Reith, M.E.A., see Chen, S.-Y. (729) 294

Sacerdote, P., see Bianchi, M. (729) 285
Salín-Pascual, R.J., see Drucker-Colín, R. (729) 170
Sauvé, D. and Woodside, B.
The effect of central administration of prolactin on food intake in virgin female rats is dose-dependent, occurs in the absence of ovarian hormones and the latency to onset varies with feeding regimen (729) 75
See, R.E., see Chapman, M.A. (729) 124
Senitz, D., see Kalus, P. (729) 45
Shibata, S., see Arai, I. (729) 277
Shimazoe, T., see Arai, I. (729) 277
Sipos, M.L. and Nyby, J.G.
Concurrent androgenic stimulation of the ventral tegmental area and medial preoptic area: synergistic effects on male-typical reproductive behaviors in house mice (729) 29
Skinner, R.D., Houle, J.D., Reese, N.B., Berry, C.L. and Garcia-Rill, E.
Effects of exercise and fetal spinal cord implants on the H-reflex in chronically spinalized adult rats (729) 127
Smith, K.A. and Fisher, R.S.
The selective $GABA_B$ antagonist CGP-35348 blocks spike–wave bursts in the cholesterol synthesis rat absence epilepsy model (729) 147
Smoot, T.M., see Zachor, D.A. (729) 270
Snider, B.J. and Choi, D.W.
Heat stress reduces glutamate toxicity in cultured neurons without HSP70 expression (729) 273
Strahlendorf, H.K., see Strahlendorf, J.C. (729) 197
Strahlendorf, J.C., Acosta, S. and Strahlendorf, H.K.
Diazoxide and cyclothiazide convert AMPA-induced dark cell degeneration of Purkinje cells to edematous damage in the cerebellar slice (729) 197
Suarez, S.S., see Webb, B. (729) 176

Tanaka, K.-i., Ogawa, N., Asanuma, M., Kondo, Y. and Nomura, M.
Relationship between cholinergic dysfunction and discrimination learning disabilities in Wistar rats following chronic cerebral hypoperfusion (729) 55
Tesche, C.D.
Non-invasive imaging of neuronal population dynamics in human thalamus (729) 253
Tokuda, M., see Lu, Y.-F. (729) 142
Tomizawa, K., see Lu, Y.-F. (729) 142
Tuisku, F. and Hildebrand, C.
Occurrence of axons with certain immunohistochemical markers in teleost gingiva and teeth (729) 137

Van Furth, W.R. and Van Ree, J.M.
Sexual motivation: involvement of endogenous opioids in the ventral tegmental area (729) 20
Van Ree, J.M., see Van Furth, W.R. (729) 20
Verdugo-Díaz, L., see Drucker-Colín, R. (729) 170
Visser, D.T.M., Hu, Z., Pasterkamp, R.J., Morimoto, M. and Kawata, M.
The alteration of glucocorticoid receptor-immunoreactivity in the rat forebrain following short-term and long-term adrenalectomy (729) 216
Voigt, P., see Wilson, W. (729) 1

Wakisaka, S., Youn, S.H., Maeda, T. and Kurisu, K.
Immunoelectron microscopic study on neuropeptide Y in the periodontal ligament of the incisor following peripheral nerve injury to the inferior alveolar nerve in the rat (729) 259
Walker, D.W., see Webb, B. (729) 176
Waszczak, B.L., see Martin, L.P. (729) 156
Watanabe, S., see Arai, I. (729) 277
Webb, B., Suarez, S.S., Heaton, M.B. and Walker, D.W.
Calcium homeostasis in cultured embryonic rat septohippocampal neurons is altered by ethanol and nerve growth factor before and during depolarization (729) 176
Wilson, W., Voigt, P., Bader, M., Marsden, C.A. and Fink, H.
Behaviour of the transgenic (mREN2)27 rat (729) 1
Wong-Riley, M.T.T., see Zhang, C. (729) 205
Woodside, B., see Sauvé, D. (729) 75

Yamadori, T., see Farid Ahmed, A.K.M. (729) 119
Yamaguchi, I., see Matsuoka, N. (729) 132
Yamazaki, M., see Matsuoka, N. (729) 132
Yee, A.K., see Gruner, J.A. (729) 90
Yoshimatsu, A., see Arai, I. (729) 277
Youn, S.H., see Wakisaka, S. (729) 259
Youngman, S., see Gancher, S. (729) 190
Yuhi, T.
Erratum. Up-regulation of functional voltage-dependent sodium channels by cyclic AMP-dependent protein kinase in adrenal medulla (729) 297

Zachor, D.A., Moore, J.F., Smoot, T.M. and Percy, A.K.
Inhibitory effects of cocaine on NGF-induced neuronal differentiation: Incomplete reversibility after a critical time period (729) 270
Zhang, C. and Wong-Riley, M.T.T.
Do nitric oxide synthase, NMDA receptor subunit R1 and cytochrome oxidase colocalize in the rat central nervous system? (729) 205